

# Goal Recognition with Real World Data

Felipe Meneguzzi†

†Pontifical Catholic University of Rio Grande do Sul, Brazil  
felipe.meneguzzi@pucrs.br

Salvador, October, 2019



# A researcher with a vision




# Table of Contents

- 1 What is Goal Recognition?
- 2 A Canned History of Current Approaches
- 3 Goal Recognition using Real World Data
  - Plan Recognition using Video Data
  - Goal Recognition in Incomplete Domains
  - Plan Recognition in Latent Space
  - Goal Recognition Using Nominal Models
  - Engineering GR Domains using ML
- 4 Summary and Future Directions

# What is it?

- **Goal Recognition** is the task of recognizing agents' goal that explains a sequence of observations of its actions;
  - Related to plan recognition, i.e. recognizing a *top-level* action
  - A specific form of the problem of abduction
- Roughly two types of approach:
  - Plan-library based (*classical* plan recognition)
  - Domain-theory based (plan recognition as planning, or PRAP)



# Why do we need goal recognition?


- Recognizing plans and goals of others is critical for meaningful interaction:
  - important for humans/agents working in the same environment
  - increasingly important as we build more intelligent systems



- Overall area of Plan, Activity and Intent Recognition
  - Activity recognition: recognizing meaningful activities from low-level sensor data
  - Plan/Intent/Goal recognition: recognizing intentional higher-level sequences of activities

# Why do we need goal recognition?

- Recognizing plans and goals of others is critical for meaningful interaction:
  - important for humans/agents working in the same environment
  - increasingly important as we build more intelligent systems



- Overall area of Plan, Activity and Intent Recognition
  - Activity recognition: recognizing meaningful activities from low-level sensor data
  - Plan/Intent/Goal recognition: recognizing intentional higher-level sequences of activities

# Why do we need goal recognition?

- Recognizing plans and goals of others is critical for meaningful interaction:
  - important for humans/agents working in the same environment
  - increasingly important as we build more intelligent systems



- Overall area of Plan, Activity and Intent Recognition
  - Activity recognition: recognizing meaningful activities from low-level sensor data
  - Plan/Intent/Goal recognition: recognizing intentional higher-level sequences of activities

# An example of Activity Recognition





# An example of Activity Recognition



# An example of Activity Recognition














# An example of Activity Recognition



breaking egg

# An Example of Goal/Plan Recognition

from Miquel Ramirez's thesis

	A	B	C	D	E
0		 1			 5
1	 2				
2	 2		 4	 1	
3				 6	 7
4	 3		 3		

Wooden pieces  $p_1, p_2, \dots, p_n$

Pieces have shapes and colors












Bins  $b_1, b_2, \dots, b_n$

The possible **goals** the trainer expected to pursue:

- ① Store all triangles in  $b_1$
- ② Store all spheres in  $b_2$
- ③ Store all cubes in  $b_3$
- ④ Store red objects in  $b_2$
- ⑤ Store green objects in  $b_3$
- ⑥ Store blue objects in  $b_1$

# An Example of Goal/Plan Recognition

from Miquel Ramirez's thesis

	A	B	C	D	E
0		 1			 5
1	 2				
2	 2		 4	 1	
3				 6	 7
4	 3		 3		

Wooden pieces  $p_1, p_2, \dots, p_n$

Pieces have shapes and colors

Bins  $b_1, b_2, \dots, b_n$












One possible *plan* for the trainer to achieve goal #1

(store all triangles in  $b_1$ ):

- ① Walk from B3 into A4
- ② Pick  $p_3$  up
- ③ Walk from A4 into B3
- ④ Walk from B3 into C2
- ⑤ Pick  $p_4$  up
- ⑥ Throw  $p_3$  into  $b_1$
- ⑦ Throw  $p_4$  into  $b_1$

# An Example of Goal/Plan Recognition

from Miquel Ramirez's thesis

	A	B	C	D	E
0		 1			 5
1	 2				
2	 2		 4	 1	
3				 6	 7
4	 3		 3		

Wooden pieces  $p_1, p_2, \dots, p_n$

Pieces have shapes and colors












Bins  $b_1, b_2, \dots, b_n$

If sensors miss 70% of *walk* actions and half *pick* and *drop* actions, we may only see:

- 1 Pick  $p_3$  up
- 2 Walk from A4 into B3

# An Example of Goal/Plan Recognition

from Miquel Ramirez's thesis

	A	B	C	D	E
0		 1			 5
1	 2				
2	 2		 4	 1	
3				 6	 7
4	 3		 3		

Wooden pieces  $p_1, p_2, \dots, p_n$

Pieces have shapes and colors

Bins  $b_1, b_2, \dots, b_n$


If sensors miss 70% of *walk* actions and half *pick* and *drop* actions, we may only see:

- 1 Pick  $p_3$  up
- 2 Walk from A4 into B3

Here, we could deduce either goal #1 or #4 (store all red objects in  $b_2$ ), as other tasks are less *likely*.

# Flavors of Recognition Formalism

## Plan Library



## Domain Theory (PRAP)

```
(define (domain grid)
  (:requirements :strips :typing)
  (:types place shape key)
  (:predicates (conn ?x ?y - place)
               (key-shape ?k - key ?s - shape)
               (lock-shape ?x - place ?s - shape)
               (at ?r - key ?x - place )
               (at-robot ?x - place)
               (locked ?x - place)
               (carrying ?k - key)
               (open ?x - place)
  )

  (:action unlock
  :parameters (?curpos ?lockpos - place ?key - key ?shape - shape)
  :precondition (and (conn ?curpos ?lockpos) (key-shape ?key ?shape)
                    (lock-shape ?lockpos ?shape) (at-robot ?curpos)
                    (locked ?lockpos) (carrying ?key))
  :effect (and (open ?lockpos) (not (locked ?lockpos)))
  )

  (:action move
  :parameters (?curpos ?nextpos - place)
  :precondition (and (at-robot ?curpos) (conn ?curpos ?nextpos) (open ?nextpos))
  :effect (and (at-robot ?nextpos) (not (at-robot ?curpos)))
  )

  (:action pickup
  :parameters (?curpos - place ?key - key)
  :precondition (and (at-robot ?curpos) (at ?key ?curpos))
  :effect (and (carrying ?key)
              (not (at ?key ?curpos)))
  )
)
```




# Table of Contents

- 1 What is Goal Recognition?
- 2 A Canned History of Current Approaches**
- 3 Goal Recognition using Real World Data
  - Plan Recognition using Video Data
  - Goal Recognition in Incomplete Domains
  - Plan Recognition in Latent Space
  - Goal Recognition Using Nominal Models
  - Engineering GR Domains using ML
- 4 Summary and Future Directions

# Goal Recognition using Planning Domains I

Ramirez and Geffner (2009 and 2010)

- First approaches to goal recognition: Plan Recognition as Planning (PRAP)
  - Probabilistic model aims to compute  $P(G | O)$
  - Following Bayes Rule  $P(G | O) = \alpha P(O | G)P(G)$
  - Given  $P(G)$  as a prior, key bottleneck is computing  $P(O | G)$
- 
- Compute  $P(O | G)$  in terms of a cost difference  
 $c(G, O) - c(G, \bar{O})$
  - Costs **two planner calls per goal hypothesis**




# Goal Recognition using Planning Heuristics

Pereira, Oren and Meneguzzi (2017):

- **Obviate the need to execute a planner multiple times** for recognizing goals; and
- Novel goal recognition heuristics that use **planning landmarks**.
- **More accurate** and **orders of magnitude faster** than all previous approaches.

Planning Landmarks:

- Are **necessary conditions** for any valid plan
- Theoretical cost of computation is the same as planning




# Goal Recognition using Operator-Counting Constraints

Meneguzzi, Pereira and Pereira (2020):

- Use **operator counting** heuristic information for recognizing goals; and
- Operator counts and LP constraints cope explicitly with noisy observations.

Key advantages:

- **More accurate** than all previous approaches; and
- Provides an **extensible framework** for further goal recognition work.



# Table of Contents

- 1 What is Goal Recognition?
- 2 A Canned History of Current Approaches
- 3 Goal Recognition using Real World Data**
  - Plan Recognition using Video Data
  - Goal Recognition in Incomplete Domains
  - Plan Recognition in Latent Space
  - Goal Recognition Using Nominal Models
  - Engineering GR Domains using ML
- 4 Summary and Future Directions

# Warning

- I will now talk about Machine Learning, but I do not buy into the hype

# Warning


- I will now talk about Machine Learning, but I do not buy into the hype
- ML Inverse Fight Club (James Mickens)

# Warning

- I will now talk about Machine Learning, but I do not buy into the hype
- ML Inverse Fight Club (James Mickens)
  - ① First Rule: You must talk about fight club




# Warning

- 
- I will now talk about Machine Learning, but I do not buy into the hype
  - ML Inverse Fight Club (James Mickens)
    - ① First Rule: You must talk about fight club
    - ② Second Rule: Let's not fight because we all agree that ML is awesome

# Where can we use real-world data?

- Domain description:  
What we want to recognize?
  - Environment domain
  - Subject preferences
- Goal Recognition:  
How do we deal with the observations?
  - Generate observations from raw data
  - Cope with noise from observations



# Limitations of previous approaches

- Domain Knowledge:
  - Must be engineered by humans
  - Must be **perfect**
- Observations:
  - Must be “well-behaved” in some sense
  - Do not use raw, real-world data


# Machine Learning Again

- Do I hate machine learning then?


# Machine Learning Again

- 
- Do I hate machine learning then?
  - No, I love it!

# Machine Learning Again

- 
- Do I hate machine learning then?
  - No, I love it!
  - ① If you are doing any unstructured data input

# Machine Learning Again

- 
- Do I hate machine learning then?
  - No, I love it!
    - ① If you are doing any unstructured data input
    - ② If you want to impress your friends or peddle for money

# How do we try to solve this?

- To Generate Symbolic Observations:
  - ML to map raw data into recognition algorithm
  - ML algorithms to generate **symbolic observations**
- Obtain Domain Knowledge:
  - Cope with expected noisy observations relaxing the domain model
  - Learn PDDL representations from image data
  - Learn **Nominal Models** from raw data
- To work on both problems simultaneously
  - Hybrid engineering/learning of PDDL representations



# Plan Recognition using Video Data

# Plan Recognition using Video Data


- Most research focuses on activity and plan recognition separately;
- We develop a hybrid approach that comprises both;
- The approach infers, from a set of candidate plans, which plan a human subject is pursuing based exclusively on fixed-camera video.



# A Hybrid Architecture for Activity and Plan Recognition

- **Conceptually divided in two main parts**

- CNN-based activity recognition (CNN)<sup>1</sup>
- CNN-backed symbolic plan recognition (SBR)<sup>2</sup>



---

<sup>1</sup>That's us!

<sup>2</sup>Not our work: Avrahami-Zilberbrand and Kaminka. Fast and Complete Symbolic Plan Recognition. IJCAI 2005

# How are we doing so far?

- To Generate Symbolic Observations:
  - ML to map raw data into a recognition algorithm ✓
  - ML algorithms to generate **symbolic observations**
- Obtain Domain Knowledge:
  - Cope with expected noisy observations relaxing the domain model
  - Learn PDDL representations from image data
  - Learn **Nominal Models** from raw data
- To work on both problem simultaneously
  - Hybrid engineering/learning of PDDL representations

# Goal Recognition in Incomplete Domains


# What is an Incomplete Domain?

In a nutshell:

It is a STRIPS/PDDL domain that allows me to state that some preconditions/effects **may or may not** be there!

# Why use Incomplete Domains?

- A **step forward** to **more realistic settings**; and
- The **lack of domain knowledge**, human-error, and etc.



## Definition (Incomplete STRIPS Domain Model<sup>a</sup>)

<sup>a</sup>Weber and Bryce, *Planning and Acting in Incomplete Domain Models*. ICAPS, 2011.

An incomplete STRIPS domain model is a tuple  $\tilde{\mathcal{D}} = \langle \mathcal{R}, \tilde{\mathcal{O}} \rangle$ , where:

- $\mathcal{R}$  is a set of predicates with typed variables;
- $\tilde{\mathcal{O}}$  is a set of incomplete operators. An operator  $\tilde{op} \in \tilde{\mathcal{O}}$  defines:
  - $pre(\tilde{op}) \subseteq \mathcal{R}$  as a set of known preconditions;
  - $add(\tilde{op}) \subseteq \mathcal{R}$  as a set of known add effects;
  - $del(\tilde{op}) \subseteq \mathcal{R}$  as a set of known delete effects;




## Definition (Incomplete STRIPS Domain Model<sup>a</sup>)

<sup>a</sup>Weber and Bryce, *Planning and Acting in Incomplete Domain Models*. ICAPS, 2011.

An incomplete STRIPS domain model is a tuple  $\tilde{\mathcal{D}} = \langle \mathcal{R}, \tilde{\mathcal{O}} \rangle$ , where:

- $\mathcal{R}$  is a set of predicates with typed variables;
- $\tilde{\mathcal{O}}$  is a set of incomplete operators. An operator  $\tilde{op} \in \tilde{\mathcal{O}}$  defines:
  - $pre(\tilde{op}) \subseteq \mathcal{R}$  as a set of known preconditions;
  - $\tilde{pre}(\tilde{op}) \subseteq \mathcal{R}$  as a set of **possible preconditions**;
  - $add(\tilde{op}) \subseteq \mathcal{R}$  as a set of known add effects;
  - $\tilde{add}(\tilde{op}) \subseteq \mathcal{R}$  as a set of **possible add effects**;
  - $del(\tilde{op}) \subseteq \mathcal{R}$  as a set of known delete effects;
  - $\tilde{del}(\tilde{op}) \subseteq \mathcal{R}$  as a set of **possible delete effects**;

# Problem Overview



# How are we doing so far?


- To Generate Symbolic Observations:
  - ML to map raw data into a recognition algorithm ✓
  - ML algorithms to generate **symbolic observations**
- Obtain Domain Knowledge:
  - Cope with expected noisy observations relaxing the domain model ✓
  - Learn PDDL representations from image data
  - Learn **Nominal Models** from raw data
- To work on both problem simultaneously
  - Hybrid engineering/learning of PDDL representations

# Plan Recognition in Latent Space

# Motivation

- Goal and Plan Recognition depend on high-quality domain engineering
  - PDDL domain theory for PRAP
  - Plan Library for traditional PR
- We would like to obviate the need for most domain engineering
  - Learn domain models directly from raw data
  - Recognize goals using raw data as observations


# Inspiration: LatPlanner<sup>3</sup>



<sup>3</sup>Not our Work: Asai and Fukunaga. Classical Planning in Deep Latent Space: Bridging the Subsymbolic-Symbolic Boundary, AAAI, 2018


# Variational Autoencoders

- Autoencoders are a specific type of Neural Network intended to learn representations
- Consists of three key parts
  - Encoder network
  - Latent layer (the middle layer)
  - Decoder network
- Trained in an unsupervised manner
- Variational Autoencoders force the the encoder network to generate latent vectors following some distribution (typically a unit-gaussian one)



# Gumbel-softmax autoencoders and planning


- Planners view states as sets of logical propositions (i.e. binary vectors)
- We would like to be able to learn state representations from raw data
- We force an autoencoder to have a categorical distribution in the latent layer:
  - Gumbel-softmax activation can be annealed into a categorical distribution
  - Latent layer now correspond to **logic bits**
  - Can learn a PDDL transition function from pairs of states





# Goal Recognition using Raw Data


- Once we learn the internal representation, we can recognize plans as sequences of images, but using symbolic goal recognition algorithms



# Goal Recognition in Latent Space

## Key steps in the approach

- Train autoencoder using an image dataset (binary representation)
- Infer transition function from pairs of encoded images (states)
- Convert Goal Recognition problem to latent space using autoencoder
- Recognize goals using PRAP algorithms (ours)




# How are we doing so far?

- To Generate Symbolic Observations:
  - ML to map raw data into a recognition algorithm ✓
  - ML algorithms to generate **symbolic observations**
- Obtain Domain Knowledge:
  - Cope with expected noisy observations relaxing the domain model ✓
  - Learn PDDL representations from image data ✓
  - Learn **Nominal Models** from raw data
- To work on both problem simultaneously
  - Hybrid engineering/learning of PDDL representations


# Goal Recognition Using Nominal Models

# Motivation

- Existing goal recognition approaches **rely on complete models** with **known system dynamics**;
- We **drop the assumption** that the transition function is given and well defined, using **Nominal (approximate) models**




# Deep Neural Networks as Nominal Models



- We acquire **nominal models** by training a DNN
- Trained DNN becomes the **transition function**
- *Nominal models* support **continuous** action and state spaces;

# Goal Recognition over Nominal Models



- We define the observations  $O$  as **trajectory of states** induced by a policy  $\pi$  that minimises  $J$ , and **achieve a hidden goal**  $G^* \in \mathcal{G}$ .

# Probabilistic Goal Recognition over Nominal Models


We adopt the probabilistic interpretation of Ramírez and Geffner (2010)<sup>4</sup>:

- $P(G|O) = \alpha P(O|G)P(G)$ 
  - $P(G)$  is a *prior* probability to a goal  $G$ ;
  - $P(O|G)$  is the probability of observing  $O$  when the goal is  $G$ ;
  - $\alpha$  is a normalisation factor.

Here, since  $P(G)$  is equal for every candidate goal, the question is:

- **How do we compute  $P(O|G)$ ?**

---

<sup>4</sup> Ramírez and Geffner, *Probabilistic Plan Recognition using off-the-shelf Classical Planners*, AAAI-2011, 



We develop our first approach using the concept of *Mirroring*<sup>5</sup> to **compare two plans for each of the candidate goals in  $\mathcal{G}$** :


- **Ideal-plan** ( $\pi_G$ ): a plan computed from  $\mathcal{I}$  to every goal  $G$  in  $\mathcal{G}$ ;
- **O-plan** ( $\pi_{O,G}$ ): a plan computed for every pair  $\mathcal{I}, G$ , which must visit every state in  $O$ .

---

<sup>5</sup> Vered et al., *Online Goal Recognition through Mirroring: Humans and Agents.* ACS, 2016. 

# $\eta$ MIRRORING: *matching-error* $\epsilon$

We compare the **Ideal-plan** and the **O-plan** using the *matching-error*<sup>6</sup>  $\epsilon$ , i.e., the **Euclidean distance** between the trajectories.



<sup>6</sup> Kaminka et al., *Plan Recognition in Continuous Domains*. AAAI, 2018.

# How are we doing so far?

- To Generate Symbolic Observations:
  - ML to map raw data into recognition algorithm ✓
  - ML algorithms to generate **symbolic observations**
- Obtain Domain Knowledge:
  - Cope with expected noisy observations relaxing the domain model ✓
  - Learn PDDL representations from image data ✓
  - Learn **Nominal Models** from raw data ✓
- To work on both problem simultaneously
  - Hybrid engineering/learning of PDDL representations

# Engineering GR Domains using ML


# Machine Learning and Computer Vision

- Machine Learning models are the unchallenged state of the art for computer vision:



# Machine Learning and Computer Vision

- Machine Learning models are the unchallenged state of the art for computer vision:
- Most computer vision datasets already contain **annotated semantic information** (and algorithms assume their existence):
  - Labels for **objects** and **relations**
- Why not use this semantic information to co-design GR domains around them?




Relations:


<person, holding, boiled-egg>

<boiled-egg, holding, bowl>

# Deriving PDDL from ML Algorithms



peel-boiled-egg




Relations:

<person,holding,boiled-egg>

<boiled-egg,holding,bowl>


```
(:action peel-boiled-egg
 :parameters (?e - egg ?d - cooking-dish)
 :precondition (and (boiled-egg ?e)
                    (holding ?e) (on ?e ?d))
 :effect (and (hard-boiled-egg ?e)
              (not (shell-egg ?e)))
)
```

# Generating Semantically-meaningful Observations with ML




boil-egg

<person,holding,shell-egg>  
<shell-egg,in,pan>  
<person,holding,hashi>



peel-boiled-egg

<person,holding,boiled-egg>  
<boiled-egg,on,bowl>



<person,holding,hard-boiled-egg>  
<hard-boiled-egg,on,bowl>



# How are we doing so far?

- To Generate Symbolic Observations:
  - ML to map raw data into recognition algorithm ✓
  - ML algorithms to generate **symbolic observations** ✓
- Obtain Domain Knowledge:
  - Cope with expected noisy observations relaxing the domain model ✓
  - Learn PDDL representations from image data ✓
  - Learn **Nominal Models** from raw data ✓
- To work on both problem simultaneously
  - Hybrid engineering/learning of PDDL representations ✓

# Table of Contents

- 1 What is Goal Recognition?
- 2 A Canned History of Current Approaches
- 3 Goal Recognition using Real World Data
  - Plan Recognition using Video Data
  - Goal Recognition in Incomplete Domains
  - Plan Recognition in Latent Space
  - Goal Recognition Using Nominal Models
  - Engineering GR Domains using ML
- 4 Summary and Future Directions

# Summary

- We progressively drop assumptions used by goal recognition about:
  - Precision of domain knowledge
  
- Along the way, we showed how to perform goal recognition:
  - Using incomplete domain knowledge

# Summary

- We progressively drop assumptions used by goal recognition about:
  - Precision of domain knowledge
  - Quality of observations
  
- Along the way, we showed how to perform goal recognition:
  - Using incomplete domain knowledge
  - Using real world video-data

# Summary

- We progressively drop assumptions used by goal recognition about:
  - Precision of domain knowledge
  - Quality of observations
  - Exclusively discrete domains
  
- Along the way, we showed how to perform goal recognition:
  - Using incomplete domain knowledge
  - Using real world video-data
  - Using learned (nominal) models

# Summary

- We progressively drop assumptions used by goal recognition about:
  - Precision of domain knowledge
  - Quality of observations
  - Exclusively discrete domains
  - Existence of domain knowledge
- Along the way, we showed how to perform goal recognition:
  - Using incomplete domain knowledge
  - Using real world video-data
  - Using learned (nominal) models
  - In Latent Space

# Summary

- We progressively drop assumptions used by goal recognition about:
  - Precision of domain knowledge
  - Quality of observations
  - Exclusively discrete domains
  - Existence of domain knowledge
- Along the way, we showed how to perform goal recognition:
  - Using incomplete domain knowledge
  - Using real world video-data
  - Using learned (nominal) models
  - In Latent Space
  - Achieving lasting world peace

# Summary

- We progressively drop assumptions used by goal recognition about:
  - Precision of domain knowledge
  - Quality of observations
  - Exclusively discrete domains
  - Existence of domain knowledge
- Along the way, we showed how to perform goal recognition:
  - Using incomplete domain knowledge
  - Using real world video-data
  - Using learned (nominal) models
  - In Latent Space
  - Achieving lasting world peace (Ok, maybe not)



- Plan Recognition with Domain Theories
  - Extend heuristics to temporal and non-uniform-cost; domains
  - Experiment with more advanced notions of numeric landmarks (e.g. Scala et al.); and
  - Automatically infer first-order logic literals.
- More effective GR techniques combining learning and symbolic reasoning.

# A last bit of wisdom



Effective AI combines search (symbolic reasoning)  
and machine learning (sensing the noisy world)

# A last bit of wisdom



Effective AI combines search (symbolic reasoning)  
and machine learning (sensing the noisy world)



Do not be naughty

# Thanks and Acknowledgement

## People involved in this research

- Ramon Fraga Pereira (PhD Student)
- Maurício Magnaguagno (PhD Student)
- Leonardo Amado (PhD Student)
- Juarez Monteiro (PhD Student)
- Roger Granada (Postdoc)
- Mor Vered (Monash University, Australia)
- Gal Kaminka (Bar Ilan University, Israel)
- Miquel Ramirez (University of Melbourne, Australia)
- Nir Oren (University of Aberdeen, Scotland)
- André Grahl Pereira (UFRGS)
- Rodrigo Barros (PUCRS colleague)
- Duncan Ruiz (PUCRS colleague)

# The money guys

## Institutions

- The Scottish Informatics and Computer Science Alliance (SICSA) Distinguished Visiting Fellowship (DVE)
- Conselho Nacional de Desenvolvimento Científico e Tecnológico (CNPq) – PQ Fellowship

# Papers reporting these results I

PEREIRA, Ramon. F.; PEREIRA, André G.; MENEGUZZI, Felipe.  
**Landmark-Enhanced Heuristics for Goal Recognition in Incomplete Domain Models.** ICAPS, 2019.

PEREIRA, Ramon. F.; VERED, Mor; MENEGUZZI, Felipe; RAMIREZ, Miquel.  
**Online Probabilistic Goal Recognition over Nominal Models.** IJCAI, 2019.

AMADO, Leonardo R.; AIRES, João Paulo; PEREIRA, Ramon F.;  
MAGNAGUAGNO, Maurício C.; GRANADA, Roger L.; MENEGUZZI, Felipe. **An LSTM-Based Approach for Goal Recognition in Latent Space.** PAIR@AAAI, 2019.

MENEGUZZI, Felipe; PEREIRA, André G.; PEREIRA, Ramon. F.. **Robust Goal Recognition with Operator-Counting Heuristics.** XAIP@ICAPS, 2019.

# Papers reporting these results II

AMADO, Leonardo R.; PEREIRA, Ramon F.; AIRES, João Paulo; MAGNAGUAGNO, Maurício C.; GRANADA, Roger Leitzke; and MENEGUZZI, Felipe. **Goal Recognition in Latent Space**. IJCNN, 2018.

AMADO, Leonardo R.; PEREIRA, Ramon F.; AIRES, João Paulo; MAGNAGUAGNO, Maurício C.; GRANADA, Roger Leitzke; and MENEGUZZI, Felipe. **Goal Recognition in Latent Space**. IJCNN, 2018.

VERED, Mor; PEREIRA, Ramon F.; KAMINKA, Gal; and MENEGUZZI, Felipe. **Online Goal Recognition as Reasoning over Landmarks**. PAIR@AAAI, 2018.

VERED, Mor; PEREIRA, Ramon F.; KAMINKA, Gal; and MENEGUZZI, Felipe. **Towards Online Goal Recognition Combining Goal Mirroring and Landmarks**. AAMAS, 2018.

# Papers reporting these results III

FRAGA PEREIRA, Ramon; MENEGUZZI, Felipe. **Landmark-based Plan Recognition**. ECAI, 2016.

PEREIRA, Ramon F.; OREN, Nir; and MENEGUZZI, Felipe. **Landmark-Based Heuristics for Goal Recognition**. AAI, 2017.

PEREIRA, Ramon F.; OREN, Nir; and MENEGUZZI, Felipe. **Monitoring Plan Optimality using Landmarks and Domain-Independent Heuristics**. PAIR Workshop@AAAI, 2017.

GRANADA, Roger L.; PEREIRA, Ramon F.; MONTEIRO, Juarez; BARROS, Rodrigo; RUIZ, Duncan; and MENEGUZZI, Felipe. **Hybrid Activity and Plan Recognition for Video Streams**. PAIR Workshop@AAAI, 2017.

PEREIRA, Ramon F.; OREN, Nir; and MENEGUZZI, Felipe. **Detecting Commitment Abandonment by Monitoring Plan Execution**. AAMAS, 2017.

MONTEIRO, Juarez; GRANADA, Roger; BARROS, Rodrigo and MENEGUZZI, Felipe. **Deep Neural Networks for Kitchen Activity Recognition**. IJCNN, 2017.

VERED, Mor; PEREIRA, Ramon F.; MAGNAGUAGNO, Maurício C.; KAMINKA, Gal; and MENEGUZZI, Felipe. **Online Goal Recognition Combining Landmarks and Planning**. GRW@IJCAI, 2017.



If this talk was interesting and you want to know more, talk to me:

## MSc and PhD admissions

22nd November 2019

Areas of work and advantages:

- Automated Planning and Goal Recognition
- Machine Learning (within reason)
- Excellent Food

Thank you!  
Questions?



ESCOLA  
POLITÉCNICA